# Supplier Declaration of Conformity (SDoC)

In accordance with ISO/IEC 17050-1:2004

SDoC identification Number1 - LIGMAN LEEDS WEDGE 1 Issuer details Name<sup>2</sup> (of New Zealand manufacturer or importer) **Contact Address** Impressions Lighting Ltd PO Box 673, New Zealand Company Number (if applicable) Hamilton 3210 578017 Email address Telephone Fax 07 856 3299 07 856 3199 info@impressionslighting.co.nz Medium Risk Article - Details<sup>3</sup> (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable) Product Type - Surface Façade Luminaires Product Name - LEEDS WEDGE 1 Product Reference - LEW-30001 The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:-Standard number & issue year:-Standard Title:-IEC 60598-1:2014+A1:2017 Luminaires – Part 1: General requirements and tests IEC 598-2-1:1979+A1:1987 Luminaires - Part 2: Particular requirements. Section 1: Fixed general purpose luminaires CISPR 15:2018 Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment IEC 61547:2009+Cor.1:2010 Equipment for general lighting purposes. Requirements for Electromagnetic Compatibility. Electromagnetic compatibility (EMC). Limits. Limits for IEC 61000-3-2:2018 harmonic current emissions Electromagnetic Compatibility (EMC) - Part 3-3: Limits -IEC 61000-3-3:2013+A1:2019 Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection EN 50581:2012 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances IEC 62471:2006 Photobiological safety of lamps and lamp systems Names and addresses of any testing organisation or body Address(es) Name(s) Ligman Lighting Company Limited 17/2 Moo 4, Monthong, Bangnampreaw, Chachoengsao Thailand.24150 Deference to relevant test reports/certification, and issue data of the

| Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:- |  |               |
|---|--|---------------|
| Standard(s) or document(s) used, to show how compliance with cited standard is achieved:-   | Report/Certification or Document reference $N^{\circ}(s)$ :- | Issue date(s) |
| Low Voltage Directive (LVD) 2014/35/EU  | LEW-30001-2024   | 01/01/2024    |
| Electromagnetic Compatibility Directive (EMC) 2014/30/EU  |  |               |
| Restriction of the use of certain Hazardous<br>Substances in electronic equipment Directive<br>(RoHS) 2011/65/UE                      |  |               |
| Energy Labelling Regulation (ELR) 2019/2015/EU  |  |               |
| Single Lighting Regulation (SLR) 2019/2020/EU   |  |               |
| Waste Electrical & Electronic Equipment (WEEE) 2012/19/EU   |  |               |

<sup>1</sup> Every declaration of conformity should be uniquely identified.

detailed.

The responsible issuer must be unequivocally specified.

The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be

#### **Declaration**

I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010

# **IMPRESSIONS**LIGHTING

#### Signed for and on behalf of:

Impressions Lighting Ltd

#### Name<sup>4</sup> & position, as authorized by the issuer

Martin Neagle

**Managing Director** 

Signature

Date

18/11/2024

#### **Issuer Identification:**

(as affixed to the article).

## Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

### Additional information regarding the declaration

"Issuer Identification" as affixed to the article:- this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

Listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles, can be found at: <a href="http://www.energysafety.govt.nz/templates/MultipageDocumentTOC">http://www.energysafety.govt.nz/templates/MultipageDocumentTOC</a> 24889.aspx within the Energy Safety website: <a href="http://www.energysafety.govt.nz">http://www.energysafety.govt.nz</a>

Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organization.

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

THIS COMPLETED FORM REMAINS WITH THE ISSUER AS PART OF THE DOCUMENTATION REQUIRED AS EVIDENCE OF COMPLIANCE

DO NOT SUBMIT A COPY OF THIS FORM TO ENERGY SAFETY, UNLESS SPECIFICALLY REQUESTED TO DO SO